

# NSX From Scratch | Preparing The Physical Network

*The SDN solution from VMware*



This document was created using the official VMware icon and diagram library. Copyright © 2017 VMware, Inc. All rights reserved. This product is protected by U.S. and international copyright and intellectual property laws. VMware products are covered by one or more patents listed at <http://www.vmware.com/go/patents>.

VMware does not endorse or make any representations about third party information included in this document, nor does the inclusion of any VMware icon or diagram in this document imply such an endorsement.

# Course Content

---

1. Introduction to SDN and NSX
2. Lab setup
3. NSX components
4. Architecture and sample designs
- 5. Preparing the physical network**
6. Deploying NSX manager
7. Deploying controller(s)
8. Preparing vSphere clusters
9. Creating logical switches
10. Deploying DLR
11. L2 bridging
12. Exploring Security features
13. Configuring DFW
14. Security Groups
15. Identity-based firewall
16. SpoofGuard
17. Application Rule Manager (ARM)
18. Deploy ESG
19. Configuring OSPF
20. Load balancer
21. SSL VPN-PLUS
22. Flow monitoring
23. Useful commands
24. vRealize Network Insight

### Physical Network Prerequisites:

- Make sure that the physical network is in a good shape.
- Allow UDP port 4789 for VXLAN traffic.
- Configure MTU to be 1600 (Jumbo Frames).
- Create a VLAN for VXLAN.
- Make sure that the physical NICs of the ESXi hosts are connected to trunk ports with the proper VLAN allowed (the VXLAN).

**DEMO**

---

## Contact Info

Email: [mroushdy@arabitnetwork.com](mailto:mroushdy@arabitnetwork.com)

Blog: [www.arabitnetwork.com](http://www.arabitnetwork.com)

 [youtube.com/c/MohamedRoushdy](https://youtube.com/c/MohamedRoushdy)

